Specifications



Mureva TUBE - conduit sleeve - grey - Ø32 mm

ENN41332

Main

Product Range	Mureva TUBE
Product Type	Conduit sleeve
Colour	Grey (RAL 7035)
Quantity Per Package	25 pieces

Complementary

Product Destination	Mureva TUBE conduit
Condition Of Use	Indoor/outdoor
Material	PP (polypropylene)
Crush Resistance	750 N/m
Nominal Cross Section	191 mm ²
Internal Diameter	27 mm
External Diameter	32 mm
Net Weight	0.016 kg

Environment

Operating Temperature	-560 °C
Quality Labels	NF
Standards	EN 50086-2-1 EN 61386-21 : 2004
lp-Class	IP41
lk-Class	IK08

Packing Units

0	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.0 cm
Package 1 Width	16.5 cm
Package 1 Length	24.0 cm
Package 1 Weight	16.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	25

Package 2 Height	13.0 cm	
Package 2 Width	16.5 cm	
Package 2 Length	24.0 cm	
Package 2 Weight	410.0 g	

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations