

Asfora, Double telephone socket, RJ11, 4 contacts, aluminium

EPH4200161

Discontinued on: Jun 30, 2023

(!) Discontinued

Main

Range	Asfora
Product Or Component Type	Telephone socket
Device Presentation	Mechanism with fixing frame
Telephone Socket Type	RJ11 (4 contacts)
Colour Tint	Aluminium
Type Of Packing	Flow-pack

Complementary

Device Mounting	Flush
Fixing Mode	Claws5180 mm
Surface Finish	Painted
Material	ABS (acrylonitrile butadiene-styrene): central plate
Connections - Terminals	Screw terminals
Cable Stiffness	Rigid Flexible
Conductor Material	Copper
Height	71 mm
Width	71 mm
Depth	38 mm
Projecting Depth	9 mm
Ip Degree Of Protection	IP20
Net Weight	0.054 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	7.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	59.0 g
Unit Type Of Package 2	BB1

Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	18.5 cm
Package 2 Length	27.5 cm
Package 2 Weight	674.0 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	120
Package 3 Height	30.0 cm
Package 3 Width	40.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	8.632 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance



Reach Free Of Svhc

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins