

Asfora - data socket - RJ45 cat.5e UTP and RJ12 white

EPH4900121

Main

Range	Asfora
Product Or Component Type	Data socket
Device Presentation	Complete product
Telephone Socket Type	RJ12
Data Socket Type	RJ45 - category 5e
Colour Tint	White
Type Of Packing	Flow-pack

Complementary

Wiring Device Mounting	Flush	
Socket Number	2	
Connections - Terminals	IDC: RJ45	
	IDC: RJ12	
Cable Stiffness	Rigid	
Material	ABS (acrylonitrile butadiene-styrene)	
Surface Finish	Glossy	
Conductor Material	Copper	
Fixing Mode	Claws5180 mm	
Height	83 mm	
Width	83 mm	
Depth	36 mm	
Projecting Depth	9 mm	
Net Weight	0.097 kg	

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.6 cm
Package 1 Width	11.6 cm

Package 1 Length	9.7 cm
Package 1 Weight	98.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.4 cm
Package 2 Width	18.6 cm
Package 2 Length	27.6 cm
Package 2 Weight	1.06 kg
Unit Type Of Package 3	S04
Number Of Units In Package 3	120
Package 3 Height	30.0 cm
Package 3 Width	40.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	13.294 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance



Reach Free Of Svhc

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations