Specifications



# Horizontal 2-gang frame, steel

EPH5800262

## Main

Range Of Product	Asfora
Range	Asfora
Product Or Component Type	Cover frame
Number Of Gangs	2 gangs
Installation Direction	Horizontal
Type Of Packing	Flow-pack
Colour Tint	Steel
Material	ABS (acrylonitrile butadiene-styrene)

# Complementary

Surface Finish	Glossy
Ip Degree Of Protection	IP20

## **Packing Units**

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	9.000 cm
Package 1 Length	16.500 cm
Package 1 Weight	21.300 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	25
Package 2 Height	9.500 cm
Package 2 Width	18.500 cm
Package 2 Length	27.500 cm
Package 2 Weight	606.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	150
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm

Package 3 Weight

4.026 kg

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

#### Well-being performance

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations