Product data sheet

Specifications

Ultra - T-Piece - 101 x 34/50 mm - ABS - white

ETK10151E

Main

Range Of Product	Ultra
Product Or Component Type	T-piece
Device Application	Cable distribution
Colour Tint	White (RAL 9010)
Quantity Per Set	Set of 5

Complementary

Trunking Dimension	101 x 34 mm 101 x 50 mm
Trunking Material	Plastic
Fixing Mode	Snap-fitted
Material	PC/ABS
Height	138 mm
Width	171 mm
Depth	52 mm

Environment

Standards	EN 50085-1:2005 EN 50085-2-1:2006
Ambient Air Temperature For Operation	-25…60 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.500 cm
Package 1 Width	14.000 cm
Package 1 Length	17.000 cm
Package 1 Weight	70.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	11.000 cm

Package 2 Width	20.500 cm
Package 2 Length	28.000 cm
Package 2 Weight	469.000 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	35
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	3.899 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations