

Ultra - stop end - 151 x 50 mm - ABS - white

ETK150060

Main

Range Of Product	Ultra
Product Or Component Type	Stop end
Colour Tint	White (RAL 9010)
Quantity Per Set	Set of 10
Market Segment	Residential Small commercial

Complementary

Product Compatibility	Cable distribution
Trunking Dimension	151 x 50 mm
Trunking Material	Plastic
Fixing Mode	Snap-fitted
Material	PC/ABS
Height	155 mm
Width	17 mm
Depth	52 mm

Environment

Standards	EN 50085-1:2005 EN 50085-2-1:2006
Ambient Air Temperature For Operation	-2560 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.500 cm
Package 1 Width	5.500 cm
Package 1 Length	1.000 cm
Package 1 Weight	31.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10

Package 2 Height	17.000 cm
Package 2 Width	13.000 cm
Package 2 Length	14.000 cm
Package 2 Weight	325.000 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	160
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	4.960 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations