Product data sheet

Specifications

MV connector arms, EasyPact EXE, insulated for tulip cluster, assembled, 630A

EXEARM06B1

Main

Range Of Product	EasyPact EXE
Product Or Component Type	MV connector arm
[In] Rated Current	630 A
Provided Equipment	contact to be ordered separately
[Up] Rated Impulse Withstand Voltage	75 kV 95 kV

Complementary

Insulation	Insulated
Connector Type	Tulip cluster
Phase Distance	150 mm 210 mm
Mounting Location	Top Bottom

Environment

Quantity Per Set	Set of 3
Standards	IEC 62271-100 GOST-R 52565:2006
Net Weight	3.8 kg
Colour	Silver

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.0 cm
Package 1 Width	30.0 cm
Package 1 Length	40.0 cm
Package 1 Weight	5.82 kg
Unit Type Of Package 2	P06
Number Of Units In Package 2	16
Package 2 Height	75.0 cm
Package 2 Width	80.0 cm
Package 2 Length	60.0 cm

Package 2 Weight   83.2 kg

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation   China RoHS declaration

                                      Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information