


Product data sheet

Specifications



MGE Galaxy 3500 Empty Extended Run Frame for Modular Batteries up to 6, with Battery Breaker

G35TEFBXR6

! Discontinued

! Discontinued on: Jul 5, 2021

! End-of-service on: Oct 18, 2023

Overview

Presentation	Matching battery cabinet for extended runtime options
Lead Time	Usually Ships within 2 Weeks

Main

Main Input Voltage	400 V 3 phases
Battery Type	External battery system Internal modular battery
Provided Equipment	Installation guide

Batteries & Runtime

Number Of Battery Free Slots	0
Battery Life	8...10 year(s)
Device Mounting	Enclosed battery cabinet
Battery Power In Vah	0 VAh

Physical

Colour	Grey
Height	149.9 cm
Width	52.3 cm
Depth	85.4 cm
Net Weight	443 kg
Mounting Mode	Not rack-mountable
Usb Compatible	No

Environmental

Ambient Air Temperature For Operation	0...40 °C
Operating Altitude	0...3333 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	0...40 °C
Storage Altitude	0.00...1015.90 m
Storage Relative Humidity	0...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	164.3 cm
Package 1 Width	106.2 cm
Package 1 Length	65 cm
Package 1 Weight	473 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
-------------------	--
