Specifications



Lisse - Grid Plate - 1 module - Incl. Mounting Grid Mocha Bronze with Black int

GGBL01GBMB

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Plate	
Colour Tint	Cover plate: mocha bronze Interior: black	
Quantity Per Set	Set of 5	

Complementary

Complemental	
Number Of Modules	1 module
Fixing Mode	Concealed screws
Number Of Gangs	1 gang
Material	Stainless steel
Type Of Packing	Вох
Type Of Installation	Indoor
Width	87 mm
Height	87 mm
Depth	18 mm
Net Weight	0.12 kg

Environment

Ip Degree	Of	Protection
-----------	----	------------

IP20

Packing Units

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.3 cm
Package 1 Width	9.2 cm
Package 1 Length	9.2 cm
Package 1 Weight	146.5 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	21 cm

Package 2 Width	35 cm
Package 2 Length	49 cm
Package 2 Weight	15.186 kg
Unit Type Of Package 3	РАМ
Number Of Units In Package 3	2400
Package 3 Height	100.5 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	384.452 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations