Specifications



# Lisse - Grid Plate - 1 module - Incl. Mounting Grid Stainless Steel with Black

GGBL01GBSS

#### Main

Range	Lisse
Aesthetic Name	Screwless deco
Product Or Component Type	Plate
Colour Tint	Interior: black Cover plate: stainless steel
Quantity Per Set	Set of 5

# Complementary

Complementary		
Number Of Modules	1 module	
Fixing Mode	Concealed screws	
Number Of Gangs	1 gang	
Material	Stainless steel	
Type Of Packing	Вох	
Type Of Installation	Indoor	
Width	87 mm	
Height	87 mm	
Depth	18 mm	
Net Weight	0.12 kg	

# Environment

Ip Degree Of	Protection
--------------	------------

IP20

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	9.200 cm
Package 1 Length	9.200 cm
Package 1 Weight	146.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	21.000 cm

Package 2 Width	35.000 cm
Package 2 Length	49.000 cm
Package 2 Weight	15.136 kg
Unit Type Of Package 3	РАМ
Number Of Units In Package 3	2400
Package 3 Height	100.500 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	383.252 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà



Transparency RoHS/REACh

#### Well-being performance

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations