

# Lisse - Retractive switch - press symbol - 1 gang 2 way - 10A White

GGBL1012RPS

#### Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Switch
Device Presentation	Complete product
Colour Tint	White
Quantity Per Set	Set of 1

### Complementary

Switch Function	2-way retractive
Marking	Press
Control Type	Rocker
Number Of Gangs	1 gang
Device Mounting	Wall mounted
Rated Current	10 A at 230 V AC
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Surface Finish	Matt
Type Of Packing	Bag
Height	87 mm
Width	87 mm
Depth	24 mm
Net Weight	0.063 kg

### **Environment**

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.4 cm
Package 1 Width	8.7 cm

Package 1 Length	8.7 cm
Package 1 Weight	73.7 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	13 cm
Package 2 Length	18.5 cm
Package 2 Weight	811.5 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	28 cm
Package 3 Width	38 cm
Package 3 Length	49.5 cm
Package 3 Weight	16.887 kg

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

### Well-being performance



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information