Specifications



Lisse - Control Switch - 1 gang Intermediate - 10AX Polished Chrome with White

GGBL1014WPC

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Switch	
Device Presentation	Complete product	
Colour Tint	Cover plate: polished chrome Interior: white	
Quantity Per Set	Set of 10	

Complementary

Switch Function	Intermediate
Control Type	Rocker
Number Of Gangs	1 gang
Device Mounting	Wall mounted
Rated Current	10 AX at 230 V AC
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Surface Finish	Polished
Type Of Packing	Box
Height	87 mm
Width	87 mm
Depth	25 mm
Net Weight	0.11 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm

Package 1 Width	9.200 cm
Package 1 Length	9.200 cm
Package 1 Weight	145.800 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	21.000 cm
Package 2 Width	35.500 cm
Package 2 Length	48.000 cm
Package 2 Weight	15.159 kg
Unit Type Of Package 3	РАМ
Number Of Units In Package 3	2400
Package 3 Height	100.500 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	383.821 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

 (Δ)

Transparency RoHS/REACh

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations