Specifications



# Lisse - Wide rocker switch - 2 gangs 2 way - 10AX - white

GGBL1022WS

### Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Switch
Device Presentation	Complete product
Colour Tint	White
Quantity Per Set	Set of 1

# Complementary

Quitab Europtian	
Switch Function	2-way
Control Type	Rocker
Number Of Gangs	2 gangs
Device Mounting	Wall mounted
Rated Current	10 AX at 230 V AC
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Surface Finish	Matt
Type Of Packing	Bag
Height	87 mm
Width	87 mm
Depth	28 mm
Net Weight	0.097 kg

## Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm

Package 1 Weight	109 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	15.5 cm
Package 2 Length	18.5 cm
Package 2 Weight	1.173 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	33.5 cm
Package 3 Width	39 cm
Package 3 Length	49 cm
Package 3 Weight	24.088 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

#### Well-being performance

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information