

Lisse - Plate Switch - 3 gang 2 way - 10AX Mocha Bronze with Black Interior

GGBL1032BMB

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Plate switch	
Device Presentation	Complete product	
Colour Tint	Cover plate: mocha bronze Interior: black	
Quantity Per Set	Set of 10	

Complementary

Switch Function	2-way
Control Type	Rocker
Number Of Gangs	3 gangs
Device Mounting	Wall mounted
Rated Current	10 AX at 230 V AC
Fixing Mode	Concealed screws
Connections - Terminals	Screw terminals
Material	Stainless steel
Surface Finish	Matt
Type Of Packing	Box
Height	87 mm
Width	87 mm
Depth	25 mm
Net Weight	0.136 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.2 cm

Package 1 Width	9.2 cm
Package 1 Length	9.2 cm
Package 1 Weight	165.5 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	20 cm
Package 2 Width	36 cm
Package 2 Length	48 cm
Package 2 Weight	17.088 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	2400
Package 3 Height	96.5 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	430.1 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations