

Lisse - Plate Switch - 4 gang 2 way - 10AX Stainless Steel with Black Interior

GGBL1042BSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Plate switch	
Device Presentation	Complete product	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 5	

Complementary

Switch Function	2-way	
Control Type	Rocker	
Number Of Gangs	4 gangs	
Device Mounting	Wall mounted	
Rated Current	10 AX at 230 V AC	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Surface Finish	Brushed finish	
Type Of Packing	Вох	
Height	149 mm	
Width	87 mm	
Depth	24 mm	
Net Weight	0.206 kg	

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.500 cm

Package 1 Width	9.200 cm
Package 1 Length	15.500 cm
Package 1 Weight	250.100 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18.000 cm
Package 2 Width	48.000 cm
Package 2 Length	49.000 cm
Package 2 Weight	13.223 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	1000
Package 3 Height	106.500 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	284.460 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations