

Product data sheet

Specifications



Lisse - Unswitched socket - 2 gang - 13 A 230 V - white

GGBL3060S

Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Unswitched socket
Device Presentation	Complete product
Outlet Standard	British
Colour Tint	Matt white
Quantity Per Set	Set of 1
Type Of Packing	Bag

Complementary

Switch Function	1-pole
Rated Current	13 A at 250 V AC 50 Hz
Actuator	Rocker
Number Of Gangs	2 gangs
Fixing Mode	By screws
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Type Of Installation	Indoor
Depth	22 mm
Width	148 mm
Height	87 mm
Net Weight	0.123 kg

Environment

Standards	BS 1363-2
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.3 cm
Package 1 Width	8.7 cm

Package 1 Length	14.8 cm
Package 1 Weight	145.1 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	9.5 cm
Package 2 Width	13.8 cm
Package 2 Length	15.5 cm
Package 2 Weight	786 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	29 cm
Package 3 Width	33.5 cm
Package 3 Length	50 cm
Package 3 Weight	16.222 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information
