Product data sheet

Specifications



Lisse White moulded - socket-outlet - 15 A - 1 gang - matt white set of 1

GGBL3090S

Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Socket-outlet
Device Presentation	Complete product
Outlet Standard Description	Round pin
Switch Function	Switch
Colour Tint	Matt white
Quantity Per Set	Set of 1

Complementary

Outlet Poles Configuration	1P
Outlet Standard Deviation	British
Number Of Gangs	1 gang
Device Mounting	Wall mounted
Rated Current	15 A
Fixing Mode	By screws M3.5 x 25 mm
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Type Of Packing	Bag
Type Of Installation	Indoor
Height	87 mm
Width	87 mm
Depth	35.86 mm
Net Weight	0.093 kg

Environment

Standards	BS 546
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	3.4 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	102 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	16.5 cm
Package 2 Length	18 cm
Package 2 Weight	1.09 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	35 cm
Package 3 Width	38 cm
Package 3 Length	50 cm
Package 3 Weight	22.6 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information