

Lisse - Cooker Control Unit with 13A Socket LED 45A DP Stainless Steel with BI

GGBL4001BSSS

Main

Range	Lisse	
Aesthetic Name	Screwless deco	
Product Or Component Type	Cooker control unit	
Device Presentation	Complete product	
Outlet Standard	British	
Colour Tint	Interior: black Cover plate: stainless steel	
Quantity Per Set	Set of 1	

Complementary

Rated Current	45 A at 230 V AC 50 Hz	
Number Of Gangs	2 gangs	
Pilot Light	LED	
Fixing Mode	Concealed screws	
Connections - Terminals	Screw terminals	
Material	Stainless steel	
Type Of Installation	Indoor	
Depth	33 mm	
Width	148 mm	
Height	87 mm	
Net Weight	0.286 kg	

Environment

Standards	BS 4177
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	8.700 cm
Package 1 Length	14.900 cm

Package 1 Weight	300.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	9.900 cm
Package 2 Width	15.500 cm
Package 2 Length	20.500 cm
Package 2 Weight	1.906 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	17.500 cm
Package 3 Width	42.500 cm
Package 3 Length	52.000 cm
Package 3 Weight	19.615 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations