# Product data sheet

Specifications



() Discontinued

#### Overview

Presentation	Wall mounted battery breaker box for use with open battery rack configurations.
Lead Time	Usually Ships within 2 Weeks

() Discontinued on: Sep 21, 2023

GVMBBB630IEC

Galaxy VM Breaker Box 630A IEC

#### Main

Battery Type	External battery system
Provided Equipment	Installation guide

## **Batteries & Runtime**

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cabinet
Battery Power In Vah	0 VAh

## Physical

•	
Colour	White
Height	128 cm
Width	85 cm
Depth	30 cm
Net Weight	98 kg
Mounting Mode	Not rack-mountable
Usb Compatible	No

## Conformance

Product Certifications	C-Tick CE RCM
Standards	EN/IEC 62040-1 EN/IEC 62040-2 EN/IEC 62040-3 IBC 2012 and CBC2013 to Sds=2.02g OSHPD UL 1778 VFI-SS-111

## Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-2555 °C
Storage Altitude	0.0014999.82 m
Storage Relative Humidity	095 %

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	130 cm
Package 1 Width	88.9 cm
Package 1 Length	30.2 cm
Package 1 Weight	99.581 kg

## **Contractual warranty**

Warranty

1 year (parts only)

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Energy Efficient Take-back Transparency

G

#### **Resource performance**

Energy Efficient Product

Take-Back Program Available

## Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
Eu Rohs Directive Environmental Disclosure	Compliant with Exemptions Product Environmental Profile