

Galaxy VM Level 2 Seismic Kit for Wide Modular Battery Cabinet

GVML2MBCW-KIT

Overview

Presentation	Kit includes parts and fasteners to achieve Seismic level 2 certification
Lead Time	Usually in Stock

Physical

Height	10.6 cm	
Width	70 cm	
Depth	81.7 cm	
Net Weight	25 kg	

Conformance

Product Certifications	C-Tick RCM	
Standards	EN/IEC 62040-1	
	EN/IEC 62040-2	
	EN/IEC 62040-3	
	UL 1778	

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	03333 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-2065 °C
Storage Altitude	0.0014999.82 m
Storage Relative Humidity	095 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	86.4 cm
Package 1 Length	76.2 cm
Package 1 Weight	27 kg

Contractual warranty

Warranty

1 year (parts only)

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Energy Efficient Take-back Transparency

Resource performance

Energy Efficient Product



Take-Back Program Available

Well-being performance

Rohs Exemption Information

Yes

Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information