Specifications



Multifix Eco - cover plate - double

IMT36031

Main

Range Of Product	Multifix
Range Compatibility	Multifix Eco
Product Or Component Type	Cover plate
Quantity Per Set	Set of 20

Complementary

•	5
Number Of Gangs	2 gangs
Product Destination	Apparatus box
Fixing Mode	By screws
Colour Tint	White (RAL 9010)
Material	PA (polyamide) 6
Length	161 mm
Width	90 mm
Depth	3 mm
Net Weight	0.028 kg

Environment

Ambient Air Temperature For -25...60 °C Operation

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	9.100 cm
Package 1 Length	16.000 cm
Package 1 Weight	28.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	300
Package 2 Height	31.700 cm
Package 2 Width	30.400 cm
Package 2 Length	39.600 cm
Package 2 Weight	9.124 kg

Unit Type Of Package 3	P12
Number Of Units In Package 3	7200
Package 3 Height	108.300 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	230.976 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations