

Product data sheet

Specifications



Thorsman - TEX-C3 M6x70 - through bolt - set of 100

IMT38014

⚠ Discontinued on: Jan 3, 2022

⚠ Discontinued

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Thorsman
Product Or Component Type	Through bolt
Device Short Name	TEX
Provided Equipment	Nut Washer
Quantity Per Set	Set of 100

Complementary

Mounting Support	Natural rock Concrete
Type Of Installation	Indoor/outdoor
Thread Type	M6
Screw Length	70 mm
Drilling Diameter	6 mm
Minimum Drilling Depth	67 mm
Thickness	Fixture: 0...26 mm
Embedding Depth	35 mm
Tightening Torque	8 N.m
Material	Steel hot-dip zinc
Atmospheric-Corrosivity Category	C3

Environment

Ambient Air Temperature For Operation	-20...60 °C
---------------------------------------	-------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.6 cm
Package 1 Width	0.6 cm
Package 1 Length	7 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	15.5 g
------------------	--------

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations