

Thorsman - TEX-C3 M8x95 - through bolt - set of 50

IMT38016

! Discontinued on: Jan 3, 2022

① Discontinued

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Thorsman
Product Or Component Type	Through bolt
Device Short Name	TEX
Provided Equipment	Washer Nut
Quantity Per Set	Set of 50

Complementary

Mounting Support	Natural rock Concrete
Type Of Installation	Indoor/outdoor
Thread Type	M8
Screw Length	95 mm
Drilling Diameter	8 mm
Minimum Drilling Depth	93 mm
Thickness	Fixture: 030 mm
Embedding Depth	55 mm
Tightening Torque	23 N.m
Material	Steel hot-dip zinc
Atmospheric-Corrosivity Category	C3
Practical Load Capacity	Pull-out load: 4.4 kN for concrete C20/C25
Serviceability Limit State	Pull-out load: 900 kg for concrete C20/C25
Ultimate Limit State	Pull-out load: (safety cl 1)590 kg for concrete C20/C25 Pull-out load: (safety cl 2)530 kg for concrete C20/C25
Accidental Action	Pull-out load: 1170 kg for concrete C20/C25

Environment

Ambient Air Temperature For -20...60 °C

Packing Units

Unit Type Of Package 1 PCE

Number Of Units In Package 1	1
Package 1 Height	0.8 cm
Package 1 Width	0.8 cm
Package 1 Length	9.5 cm
Package 1 Weight	44 a

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations