Specifications



(!) Discontinued

Thorsman - TEX-C3 M12x125 - through bolt - set of 25

IMT38020

() Discontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Thorsman
Product Or Component Type	Through bolt
Device Short Name	TEX
Provided Equipment	Nut Washer
Quantity Per Set	Set of 25

Complementary

· · · · · · · · · · · · · · · · · ·	
Mounting Support	Concrete Natural rock
Type Of Installation	Indoor/outdoor
Thread Type	M12
Screw Length	125 mm
Drilling Diameter	12 mm
Minimum Drilling Depth	122 mm
Thickness	Fixture: 030 mm
Embedding Depth	80 mm
Tightening Torque	55 N.m
Material	Steel hot-dip zinc
Atmospheric-Corrosivity Category	C3
Practical Load Capacity	Pull-out load: 11.4 kN for concrete C20/C25
Serviceability Limit State	Pull-out load: 2070 kg for concrete C20/C25
Ultimate Limit State	Pull-out load: (safety cl 1)1500 kg for concrete C20/C25 Pull-out load: (safety cl 2)1360 kg for concrete C20/C25
Accidental Action	Pull-out load: 3000 kg for concrete C20/C25

Environment

Ambient Air Temperature For -20...60 °C Operation

Packing Units

Unit Type Of Package 1

PCE

Number Of Units In Package 1	1
Package 1 Height	1.2 cm
Package 1 Width	1.2 cm
Package 1 Length	12.5 cm
Package 1 Weight	108 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations