

Product data sheet

Specifications

Socket-outlet, Unica system+, desk unit XS, white



INS44000

Main

Range	Unica
Product Or Component Type	Socket-outlet
Additional Information	2 m power cable
Type Of Service Box	Desk
Device Presentation	Complete product
Colour	White
Outlet Standard	Schuko

Complementary

Mounting Mode	Flush-mounted
Number Of Socket	1 x 16 A
Product Material	PC (polycarbonate)
Diameter	60 mm
Thickness	10...50 mm
Size	Fixing frame: XS XS
Depth	84 mm
Height	63 mm
Width	84 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.0 cm
Package 1 Width	13.0 cm
Package 1 Length	13.5 cm
Package 1 Weight	440.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	5.88 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	144
Package 3 Height	80.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	79.06 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency

Well-being performance

 Reach Free Of Svhc

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information