Specifications



# OptiLine 70 - external corner - PC/ ABS - aluminium metallic

ISM11452

() Discontinued on: Jun 30, 2023

#### (!) Discontinued

### Main

Range Of Product	OptiLine 70
Cabling Installation System	Trunking
Product Type	External corner
Colour	Aluminium metallic
Quantity Package 1 / Unit	Set of 1

## Complementary

•	-
Trunking Material	Aluminium
Trunking Dimension	155 x 55 mm
Fixing Mode	Snap-fitted
Product Material	PC/ABS painted
Length	105 mm
Height	164 mm
Width	105 mm

### Environment

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN 50085-1:2013/A1 EN 50085-2-1:2006 EN 50085-2-1:2011/A1 NF C 68-102
Operating Temperature	-2560 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.5 cm
Package 1 Width	10.5 cm
Package 1 Length	16.4 cm
Package 1 Weight	132.0 g

Unit Type Of Package 2	S03
Number Of Units In Package 2	10
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.033 kg
Package 3 Height	45 cm

# **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

### Well-being performance

 Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure Product Environmental Profile
Circularity Profile No need of specific recycling operations