Specifications



Optiline - Mini trunking Adjustable internal corner - 15x35 - Polar white

ISM14711P

() Discontinued on: Sep 30, 2022

() Discontinued

Main

Range	OptiLine
Accessory / Separate Part Category	Mounting accessory
D_Range_Compatibility	OptiLine

Complementary

Trunking Material	Plastic
Colour Tint	Polar white (RAL 9003)
Trunking Dimension	15 x 35 mm
Fixing Mode	Snap-fitted
Adjustment	Adjustable -1010 °
Material	PC/ABS
Quantity Per Package	Set of 10
Operating Temperature	-1560 °C
Length	45 mm
Height	37 mm
Width	55 mm

Environment

Standards	73/23/EEC EN 50085-1:2005 EN 50085-2-1:2006
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.9 cm
Package 1 Width	4.7 cm
Package 1 Length	4.7 cm
Package 1 Weight	8.0 g
Unit Type Of Package 2	BB1

Number Of Units In Package 2	250
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.647 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	5000
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	65 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Toxic Heavy Metal Free

Mercury Free

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations