
# Product data sheet

Specifications



## CANALIS KR 4X5000CU JUNCTION BLOCK / YA

KRC5000YA4

#### Main

Range	Canalis
Product Name	KR
Product Or Component Type	Electrical and mechanical jointing
Device Short Name	KRC
Range Compatibility	Canalis KR
Accessory / Separate Part Category	Connection accessory
Device Application	Jointing
Material	Copper
[le] Rated Operational Current	5000 A with copper
Polarity	3L + N or 3L + PE or 3L + PEN

## Complementary

Mineral epoxy resin
Copper
1000 V
Standard earth
Indoor Outdoor
Self-tapping screw
ATEX CE EAC
IEC 61439-6
By 4 bolts
84 N.m
100 mm
460 mm
Grey (RAL 7030)
Set of 1

## Environment

Ip Degree Of Protection	IP68 conforming to IEC 60529
Ik Degree Of Protection	IK10 conforming to IEC 62262

Pollution Degree	3
Packing Units	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	46.0 cm
Package 1 Width	10.0 cm
Package 1 Length	30.0 cm
Package 1 Weight	54.81 kg

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Halogen Free Product

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information