

Product data sheet

Specifications



End feed unit, Canalis KSC400, copper, 400A, right or left mounting, without line protection, 3L+N+PE/ 3L+PEN, RAL9001

KSC400AB4

Main

| | |
|--------------------------------|-----------------------------------|
| Range Of Product | Canalis |
| Product Name | KS |
| Device Short Name | KSC |
| Product Compatibility | Canalis KSC busbar trunking 400 A |
| Product Or Component Type | Feed unit |
| Conductors Material | Copper |
| [Ie] Rated Operational Current | 400 A |
| [Ue] Rated Operational Voltage | 230...690 V |
| Number Of Circuits | 1 |
| Busbar Trunking Polarity | 3L + N + PE 3L + PEN |
| Protection Type | Without protection |
| Control Type | Without |
| Colour | White (RAL 9001) |

Complementary

| | |
|-------------------------|----------------------------|
| Provided Equipment | End cover |
| Mounting Location | Right Left |
| Mounting Mode | By screws |
| Mounting Support | Busbar |
| Body Material | Metal |
| Connections - Terminals | Lug for 300 mm² rigid |
| Width | 501 mm |
| Depth | 213.5 mm |
| Height | 393 mm |
| Net Weight | 10 kg |
| Standards | IEC 61439-1 IEC 61439-6 |

Environment

| | |
|-------------------------|------------------------------|
| Ip Degree Of Protection | IP55 conforming to IEC 60529 |
| Ik Degree Of Protection | IK08 conforming to IEC 62262 |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

| | |
|------------------------------|---------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 22 cm |
| Package 1 Width | 39.3 cm |
| Package 1 Length | 50.6 cm |
| Package 1 Weight | 12 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

| | |
|--------------------------|---|
| Reach Regulation | REACH Declaration |
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile | No need of specific recycling operations |

Dimensions Drawings

Dimensions

