Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



TeSys SK, Suppressor module, varistor, 110...250V AC/DC

LA4SKE1U

Main

Range	TeSys
Device Short Name	LA4SK
Product Or Component Type	Suppressor module
Product Compatibility	LC1SK06 LP1SK06 CA2SK LC1SKGC CA3SK
Suppressor Technology	Varistor (peak limiting)
Quantity Per Set	Set of 10

Complementary

Mounting Location	Right hand side
[Uc] Control Circuit Voltage	110250 V AC 110250 V DC
Maximum Peak Voltage	2 Uc
Net Weight	0.003 kg

Environment

Ambient Air Temperature For Operation	-2050 °C
Ambient Air Temperature For Storage	-5070 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	5.0 cm
Package 1 Length	12.0 cm
Package 1 Weight	3.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	4.0 cm
Package 2 Width	5.0 cm
Package 2 Length	12.0 cm

Package 2 Weight	36.0 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	190
Package 3 Height	15.0 cm
Package 3 Width	15.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	870.0 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations