# Product data sheet

Specifications



# Mechanical latch block, TeSys Deca, 24V AC/DC

LA6DK20B

## Main

Range	TeSys
Product Or Component Type	Mechanical latch block
Product Compatibility	LC1D80D150 3 phases AC
	LC1D80 3 phases DC
	LC1D150 3 phases DC
	LC1D80 3 phases + neutral AC
	LC1D115 3 phases + neutral AC
	LP1D80 3 phases + neutral DC
	LC1D115 3 phases + neutral DC
[Uc] Control Circuit Voltage	24 V AC 50/60 Hz
	24 V DC

# Complementary

Mounting Location	Front side
Tripping Control	Electrical Manual
[Ui] Rated Insulation Voltage	690 V conforming to IEC 60947-5-1
Power Required In Va	25 for AC circuit
Power Required In W	30 W for DC circuit
Mechanical Durability	500000 cycles
Maximum Operating Rate	1200 cyc/h
On-Load Factor	10 %
Net Weight	0.09 kg

## Environment

Product Certifications	UL CSA
Ip Degree Of Protection	IP2X conforming to IEC 60529
Protective Treatment	TH conforming to IEC 60068
Ambient Air Temperature For Operation	-2555 °C
Ambient Air Temperature For Storage	-4080 °C

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5 cm

Package 1 Width	6.5 cm
Package 1 Length	4.7 cm
Package 1 Weight	98 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	32
Package 2 Height	15 cm
Package 2 Width	15 cm
Package 2 Length	40 cm
Package 2 Weight	3.316 kg

# **Contractual warranty**

Warranty

18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Toxic Heavy Metal Free



Eq

Rohs Exemption Information

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information