

Product data sheet

Specifications



Fuse disconnecter, TeSys DF, 1P, 600V, 30A, 10 x 38mm, Add on for LS1D32

LA8D324

Main

Range	TeSys
Product Or Component Type	Fuse-disconnector
Device Short Name	LA8D
Poles Description	1P

Complementary

Mounting Support	Rail
Mounting Position	Vertical (tolerance: +/- 23°)
Control Type	Toggle
[Ue] Rated Operational Voltage	600 V
[Ie] Rated Operational Current	30 A
Local Signalling	Blown fuse indication
Fuse Size	10 x 38 mm
Fuse Type	AM GG
Associated Fuse Rating	30 A aM 30 A gG
Connections - Terminals	Screw clamp terminals 2 cable(s) 1...6 mm²solid Screw clamp terminals 2 cable(s) 1...6 mm²flexible without cable end Screw clamp terminals 2 cable(s) 1...4 mm²flexible with cable end
Tightening Torque	1.7 N.m on screw clamp terminals

Environment

Standards	IEC 60947-2 IEC 60947-1 IEC 60947-4-1
Product Certifications	BV
Protective Treatment	TH
Ambient Air Temperature For Operation	-50...70 °C operation
Height	89 mm
Width	45 mm
Depth	68.3 mm

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	6.0 cm
Package 1 Length	9.0 cm
Package 1 Weight	64.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	20
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.567 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	560
Package 3 Height	77.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	43.78 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability





Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Reach Regulation		REACH Declaration
Eu Rohs Directive		Compliant EU RoHS Declaration
China Rohs Regulation		China RoHS declaration
Weee		The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins