Product data sheet

Specifications



① Discontinued

Main

Mann	
Range	TeSys
Product Name	TeSys LE
Device Short Name	LE4D
Product Or Component Type	Enclosed DOL starter
Device Application	Standard
Material Polycarbonate	
Utilisation Category	AC-3
Device Composition	Thermal overload relay ordered separately Contactor Fuse disconnector
Motor Power Kw	4 kW at 380/400 V AC 50/60 Hz 4 kW at 415 V AC 50/60 Hz 4 kW at 440 V AC 50/60 Hz 2.2 kW at 220/230 V AC 50/60 Hz 5.5 kW at 500 V AC 50/60 Hz
[Uc] Control Circuit Voltage	400 V AC 50/60 Hz
[Ith] Conventional Free Air Thermal Current	9 A
Associated Fuse Rating	12 A 10 x 38 mm aM
Control Type	Push-button reset blue R

TeSys LE - enclosed DOL starter - 9

A - 400 V AC coil - reset

() Discontinued on: Dec 12, 2019

LE4D09V7A05

Complementary

•	-	
Cable Entry Number	2 ISO20 top	
	2 ISO25 top	
	2 ISO32 top	
	2 ISO40 top	
	2 ISO20 bottom	
	2 ISO25 bottom	
	2 ISO32 bottom	
	2 ISO40 bottom	
Width	186 mm	
Height	330 mm	
Depth	175.5 mm	
Net Weight	1.96 kg	

Environment

Ip Degree Of Protection	IP65 conforming to IEC 60529
Ik Degree Of Protection	IK07 conforming to IEC 60529

Standards	IEC 60947-4-1
Ambient Air Temperature For Operation	-540 °C
Environmental Characteristic	Standard environment

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	28.5 cm
Package 1 Width	28.5 cm
Package 1 Length	46 cm
Package 1 Weight	3.155 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins