

Product data sheet

Specifications



Neutral terminal block, Linergy, screw and screwless terminals, 14 holes, 3x25 mm² + 11x4 mm², with jumper

LGYT1N14

Main

Range	Linergy
Product Or Component Type	Terminal block
Accessory / Separate Part Category	Connection accessory
Range Compatibility	Resi9 enclosure Pragma enclosure Kaedra enclosure enclosure
Colour	Blue

Complementary

Provided Equipment	1.0 x jumper
Enclosure Mounting	Flush Surface
[In] Rated Current	63 A
[Ue] Rated Operational Voltage	440 V AC
Number Of Terminal Blocks	1 neutral (screw and screwless terminals) with 14 outgoers
Distribution Block Outgoers	3 x 25 mm ² for neutral 11 x 4 mm ² for neutral
Connections - Terminals	Screwless terminals (neutral) , 11.0 x 6 mm ² (rigid) Screw terminals (neutral) , 3.0 x 25 mm ² (semi-rigid) Screwless terminals (neutral) , 11.0 x 4 mm ² (flexible) Screw terminals (neutral) , 3.0 x 25 mm ² (flexible) Screwless terminals (neutral) , 11.0 x 6 mm ² (semi-rigid) Screwless terminals (neutral) , 11.0 x 4 mm ² (flexible with ferrule) Screw terminals (neutral) , 3.0 x 16 mm ² (rigid)
Free Slots	2 for jumper to connect an other terminal block
Width	67.2 mm
Height	45.5 mm
Depth	40.5 mm
Market Segment	Small commercial Residential

Environment

Ambient Air Temperature For Storage	-25...60 °C
-------------------------------------	-------------

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	4 cm
Package 1 Width	12 cm
Package 1 Length	17.5 cm
Package 1 Weight	100 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	40
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	4.7 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	320
Package 3 Height	45 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	52.6 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
✓	Halogen Free Product	
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Compliant EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	