

Li-Ion Battery 9540A - Battery Rack UL 10 modules Type O for SyPX 250/500

LIBSMG95OUL

- ! Discontinued on: Jan 31, 2023
- ! End-of-service on: Apr 19, 2023



Overview

Presentation	UL 9540A tested Li-Ion Battery Cabinet, 10 battery modules (Type O) for Symmetra PX 250/500 UPS (UL standard)
Lead Time	Usually Ships within 2 Weeks

Main

Product Or Component Type	Battery cabinet
Battery Type	Li-lon (Lithium-lon)
Provided Equipment	User manual

Batteries & Runtime

Battery Location	Battery cabinet
Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Battery Manufacturer	Samsung
Device Mounting	Enclosed battery cabinet
Battery Voltage	516.8 V

Physical

Colour	White
Height	205.5 cm
Width	65 cm
Depth	53 cm
Net Weight	391 kg
Mounting Mode	Not rack-mountable

Output

Battery Capacity 67000 mA.h

Conformance

Standards	IBC 2015
Product Certifications	UL listed

Environmental

Ambient Air Temperature For Operation	1828 °C
Ambient Air Temperature For Storage	040 °C
Storage Relative Humidity	060 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	220 cm
Package 1 Width	53 cm
Package 1 Length	120 cm
Package 1 Weight	410 kg

Contractual warranty

Warranty 3 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope