Specifications



# Unica Top - cover frame - 2 gangs, H71 - beryl blue/aluminium

MGU66.004.098

() Discontinued on: Dec 15, 2021

#### $(!) \ \mbox{Discontinued}$

#### Main

Range	Unica
Device Application	Mounting
Product Or Component Type	Cover frame
Aesthetic Name	Unica Top
Number Of Gangs	2 gangs horizontal
Fixing Mode	Clip-in
Cover Frame Colour Tint	Beryl blue
Decoration Colour	Aluminium

## Complementary

Material	ASA + PC: decorative frame ASA + PC: intermediate part
Standards	EN 60669-1
Height	80 mm
Width	161 mm
Depth	14 mm
Distance Between Centers	71 mm
Net Weight	0.09 kg
Market Segment	Residential Small commercial

#### Environment

Ik Degree Of Protection	IK01
Ip Degree Of Protection	IP20
Environmental Characteristic	Liquid soap
	Acetone
	Bleach
	Alcohol
	Petrol
	UV resistant
	Oil
	Window-cleaning fluid

### **Packing Units**

Unit Type Of Package 1

PCE

Number Of Units In Package 1	1
Package 1 Height	1 cm
Package 1 Width	8 cm
Package 1 Length	16 cm
Package 1 Weight	90 g

## **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations