

Unica, universal fixing frame with long fixed claws, 2 m, 1 gang

MGU7.002.GL

! Discontinued on: Feb 21, 2024

① Discontinued

Main

Range Of Product	Unica
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Fixing frame
Aesthetic Name	Unica
Device Presentation	Fixing frame with long fixed claws
Number Of Modules	2 modules (1 gang)
Number Of Gangs	1 gang
Fixing Mode	Long claws

Complementary

Mounting Support	Universal
Material	Zamak
Standards	EN 60669-1
Depth	11 mm
Width	71 mm
Height	71 mm
Net Weight	0.039 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	7.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	39 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	40
Package 2 Height	12 cm
Package 2 Width	12.5 cm
Package 2 Length	18.5 cm

Package 2 Weight	1.618 kg
Unit Type Of Package 3	S02
Number Of Units In Package 3	160
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	6.744 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations