Product data sheet

Specifications



Unica, universal fixing frame, 4 m, 2 gangs

MGU7.004.P

() Discontinued on: Feb 21, 2024

(!) Discontinued

Main

Range Of Product	Unica
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Fixing frame
Aesthetic Name	Unica
Device Presentation	Fixing frame
Number Of Modules	4 modules (2 gangs)
Number Of Gangs	2 gangs
Fixing Mode	Screws

Complementary

Mounting Support	Universal
Material	Plastic
Standards	EN 60669-1
Depth	7 mm
Width	142 mm
Height	71 mm
Net Weight	0.019 kg

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.700 cm
Package 1 Width	7.000 cm
Package 1 Length	14.200 cm
Package 1 Weight	22.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	25
Package 2 Height	13.000 cm
Package 2 Width	12.600 cm
Package 2 Length	18.600 cm

Package 2 Weight	558.000 kg
Unit Type Of Package 3	S01
Number Of Units In Package 3	50
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	1341.000 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations