Specifications



## SCHUKO socket-outlet with hng.lid, Merten HD Aquadesign, shutter, screwl. term., aluminium

MTN2310-7260

() Discontinued on: Dec 15, 2023

#### ① Discontinued

#### Main

Aesthetic Name	Aquadesign
Device Presentation	Mechanism with central plate
Outlet Standard	German
Product Or Component Type	Socket-outlet
Socket Additional Information	With hinged lid Shuttered

## Complementary

Outlet Poles Configuration	2P + E
Wiring Device Mounting	Flush
Fixing Mode	By screws and claws
Colour Tint	Aluminium
Connections - Terminals	Screwless terminals
Surface Treatment	Varnished
Rated Current	16 A
[Ue] Rated Operational Voltage	250 V

### Environment

Ip Degree Of	Protection	IP44

### **Packing Units**

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.6 cm
Package 1 Width	7.1 cm
Package 1 Length	7.1 cm
Package 1 Weight	101.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.1 cm
Package 2 Width	18.1 cm

Package 2 Length	27.1 cm
Package 2 Weight	1.13 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	32.5 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	7.26 kg

# **Contractual warranty**

Warranty

18 months

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Eu Rohs Directive	Under investigation
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations