

Socket-outlet, Merten System M, mechanism with fixing frame, 2P + E, 16A, German, glossy, white

MTN2400-0344

! Discontinued on: Jun 30, 2023

## Main

Aesthetic Name	System M	
	M-Plan M-Smart	
	M-Arc	
	M-Plan glass	
	M-Star	
Device Presentation	Mechanism with central plate	
Outlet Standard	German	
Product Or Component Type	Socket-outlet	
Socket Additional Information	Shuttered	

### Complementary

Outlet Poles Configuration	2P + E
Wiring Device Mounting	Flush
Fixing Mode	By screws and claws
Colour Tint	White (RAL 1013)
Connections - Terminals	Screw terminal
Rated Current	16 A
[Ue] Rated Operational Voltage	250 V

#### **Environment**

Ip Degree Of Protection IP20

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	7.6 cm
Package 1 Length	7.6 cm
Package 1 Weight	95.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18.5 cm

Package 2 Width	30.0 cm	
Package 2 Length	40.0 cm	
Package 2 Weight	5 16 kg	

# **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

**У** То

Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations