Product data sheet

Specifications

Cable outlet, anthracite, Merten System M

MTN295514

Main

Range	Merten
Aesthetic Name	M-Elegance System M M-Plan glass M-Star M-Smart M-Arc M-Plan
Product Or Component Type	Cable outlet
Device Mounting	Flush
Device Presentation	Cover plate with fixing frame

Complementary

Fixing Mode	By screws and clamp
Colour Tint	Anthracite
Surface Finish	Matt
Material	Thermoplastic
Height	71 mm
Width	71 mm
Ip Degree Of Protection	IP20
Main Colour Tint	Anthracite

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.800 cm
Package 1 Width	7.900 cm
Package 1 Length	7.900 cm
Package 1 Weight	40.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	8.500 cm
Package 2 Width	8.800 cm
Package 2 Length	12.500 cm

Package 2 Weight	232.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	90
Package 3 Height	19.700 cm
Package 3 Width	31.600 cm
Package 3 Length	40.500 cm
Package 3 Weight	4.570 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations