

Pull string switch, Merten inserts, 1-pole 2-way, 10AX, screwless terminals, IP20,

MTN3186-0000

Main

Range	Merten	
Product Or Component Type	Pull string switch	
Device Application	Lighting	
Device Presentation	Mechanism with fixing frame	
Technology Type	Electromechanical	
Device Mounting	Flush	
Actuator	Pull cord	

Complementary

-	
Switch Function	1-pole 2-way
[Ue] Rated Operational Voltage	250 V
Network Type	AC
Network Frequency	50/60 Hz
Rated Current	10 AX
Connections - Terminals	Screwless terminals
Fixing Mode	By screws and claws

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.300 cm
Package 1 Width	7.700 cm
Package 1 Length	8.400 cm
Package 1 Weight	58.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.700 cm
Package 2 Width	18.200 cm
Package 2 Length	28.600 cm

1	
Package 2 Weight	712.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	30.600 cm
Package 3 Width	34.100 cm
Package 3 Length	40.200 cm
Package 3 Weight	4.758 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations