

Product data sheet

Specifications



Roller shutter push-button insert for cylinder locks, 2-pole

MTN318901

 **Discontinued on:** Jun 30, 2023

 **Discontinued**

Main

Range Of Product	Merten inserts
Range	Merten
Product Or Component Type	Push-button
Device Presentation	Insert

Complementary

Switch Function	2-pole
Control Type	Key
Device Mounting	Flush
Fixing Mode	By screws and claws
[Ue] Rated Operational Voltage	250 V
Maximum Switching Current	10 mA
Material	Metal Plastic

Environment

Ip Degree Of Protection	IP20
-------------------------	------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	7.6 cm
Package 1 Length	7.6 cm
Package 1 Weight	97.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	50
Package 2 Height	18.5 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.26 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability





Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

 Reach Free Of Svhc	
 Toxic Heavy Metal Free	
 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)