

# Product data sheet

Specifications



## Cen.pl. f. telephone sock.-out. insert, 8-pole, polar white, glossy, System M

MTN4260-0319

 **Discontinued on:** Jun 30, 2023

 **Discontinued**

### Main

Aesthetic Name	System M M-Elegance M-Plan M-Smart M-Plan glass M-Arc M-Star
Product Or Component Type	Central plate
Device Presentation	Central plate
Colour	Polar white (RAL 9010)

### Complementary

Product Destination	Telephone socket
Wiring Device Mounting	Flush
Fixing Mode	By clamp
Material	Polycarbonate matt

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1 cm
Package 1 Width	5.7 cm
Package 1 Length	5.7 cm
Package 1 Weight	12 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	5.9 cm
Package 2 Width	7.1 cm
Package 2 Length	9.6 cm
Package 2 Weight	77 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	225
Package 3 Height	18.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	3.87 kg

## Contractual warranty

Warranty	18 months
----------	-----------

# Sustainability

**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



## Transparency

Eu Rohs Directive	Under investigation
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations