Specifications



Rocker, Merten System M, with rectangular indicator window for symbols, IP44, anthracite

MTN433714

Main

Product Brand	Schneider Electric	
lange	Merten System M	
Range Of Product	Merten System M	
Aesthetic Name	M-Plan glass	
	M-Star	
	M-Smart	
	M-Plan	
	M-Elegance	
	System M	
	M-Arc	
Product Or Component Type	Rocker with indicator	
Colour	Anthracite (RAL 7024)	
Wiring Device Additional Information	With lighting window With opening for lense/symbol	

Complementary

Product Destination	single switch
Material	Polycarbonate matt
Marking	With symbols
Fixing Mode	By clamp

Environment

Ip Degree Of Protection

IP44

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.9 cm
Package 1 Width	7.1 cm
Package 1 Length	9.6 cm
Package 1 Weight	20.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	60
Package 2 Height	18.5 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm	
Package 2 Weight	2.63 kg	

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Toxic Heavy Metal Free



Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations