Product data sheet

Specifications

Cover frame, Merten M-Smart, 2 gangs, polar white

MTN471219

Main

Range	Merten System M
Range Of Product	Merten System M
Aesthetic Name	M-Smart
Product Or Component Type	Cover frame
Additional Information	With label surface

Complementary

Number Of Gangs	2 gangs
Colour	Polar white (RAL 9010)
Surface Finish	Brilliant
Material	Polycarbonate
Mounting Mode	Horizontal
Ip Degree Of Protection	IP20
Market Segment	Small commercial Residential

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	11.200 cm
Package 1 Length	16.400 cm
Package 1 Weight	34.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	2
Package 2 Height	3.200 cm
Package 2 Width	9.200 cm
Package 2 Length	16.900 cm
Package 2 Weight	90.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	96
Package 3 Height	20.100 cm

Package 3 Width	30.200 cm
Package 3 Length	41.300 cm
Package 3 Weight	4.740 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ⟩

Guide to assess a product's sustainability ⟩

Transparency   RoHS/REACh

Well-being performance

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Environmental Certifications

✅ Cradle To Cradle   Silver

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations