

# ARGUS 110 Basic , polar white - carton

MTN565119

### Main

Range	Merten
Product Or Component Type	Presence detector
Device Presentation	Complete product
Colour Tint	Polar white (RAL 9010)

## Complementary

Device Application	Lighting
Technology Type	Electronic
Device Mounting	Surface
Material	Thermoplastic
Surface Finish	Glossy
[Ue] Rated Operational Voltage	230 V
Network Type	AC
Network Frequency	50/60 Hz
Rated Current	16 A
Protection Type	Creep zone protection
Light Intensity Adjustment	31000 lux
Time Delay Range	1 s8 min
Mounting Height	2.5 m
Ip Degree Of Protection	IP55

## **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.100 cm
Package 1 Width	14.400 cm
Package 1 Length	18.100 cm
Package 1 Weight	444.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	6
Package 2 Height	19.900 cm

Package 2 Width	30.300 cm
Package 2 Length	40.400 cm
Package 2 Weight	3.036 ka

# **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins