Specifications

NetBotz Rack Monitor 250

NBRK0250

(i) Discontinued on Aug 51, 2023	3	n: Aug 31, 202	on: A	Discontinued	(!)
----------------------------------	---	----------------	-------	--------------	-----

() To be end-of-service on: Jun 30, 2028

\sim			
(1)	Discontinuos	Sonvice onl	ς.
(\cdot)	Discontinued		y

Overview

Lead Time

Usually in Stock

Main

mann	
Number Of Rack Unit	1U
Number Of Cables	1
Communication Port Protocol	HTTP HTTPS SNMP
Provided Equipment	Country-specific detachable power cord Installation guide Rack mounting brackets Temperature/humidity sensor
Product Compatibility	Rack sensor pod 150

General

Connections Supported	Alarm beacon 1
	Modbus Output (RS-485) 1
	Relay output 1
Universal Sensor Supported	Door contact
	Dry contact
	Humidity
	Smoke
	Fluid spot leak
	Temperature
	Vibration
Number Of Universal Sensor Ports	6
Number Of Sensor Pods Supported	0
Number Of Universal Sensors Supported	6
Sensor Humidity	1189 % +/- 3 % RH
Number Of Supported Camera	0 for integrated
	0 for networked
	0 for USB
Measurement Range	1550 °C: +/- 1 °C
	32122 °F: +/- 1.8 °F

Physical

Height	4.4 cm
Width	43.2 cm

Depth	5.9 cm
Net Weight	1.27 kg
Mounting Location	Front Rear
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Mounting Position	Vertical

Environmental

Ambient Air Temperature For Operation	045 °C
Operating Altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature For Storage	-1565 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

Communications & Management

Communication Network Type RJ45 10/100 Base-T

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.6 cm
Package 1 Width	22.6 cm
Package 1 Length	45.7 cm
Package 1 Weight	2.95 kg

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins