

# Product data sheet

Specifications

## Outlet grille CEM 130



NSY17997

### Main

|                                       |   |
|---------------------------------------|---|
| Range                                 | ClimaSys  |
| Product                               | ClimaSys CA   |
| Range Compatibility                   | ClimaSys ClimaSys CV EMC fan  |
| Product Or Component Type             | Outlet grille   |
| Accessory / Separate Part Category    | Thermal management accessory  |
| Accessory / Separate Part Destination | ClimaSys EMC ventilation system   |
| Fixing Mode                           | By screws<br>Clipped  |
| Device Composition                    | 1 outlet grille: front<br>1 metal frame: covering the plastic element<br>1 metal grille: attached to the frame<br>1 gasket: between the perimeter of the grille and the enclosure |

### Complementary

|                         |                                       |
|-------------------------|---------------------------------------|
| Material                | ABS (acrylonitrile butadiene-styrene) |
| Colour                  | Outlet grille: grey (RAL 7035)        |
| Cut-Out Dimensions      | 223 x 223 mm                          |
| Height                  | 250 mm external:                      |
| Width                   | 250 mm external:                      |
| Depth                   | 36 mm external:                       |
| Ip Degree Of Protection | IP54                                  |

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type Of Package 1       | PCE      |
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 4.5 cm   |
| Package 1 Width              | 25.5 cm  |
| Package 1 Length             | 26.0 cm  |
| Package 1 Weight             | 746.0 g  |
| Unit Type Of Package 2       | PAM      |
| Number Of Units In Package 2 | 200      |
| Package 2 Height             | 108.0 cm |
| Package 2 Width              | 100.0 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |          |
|------------------|----------|
| Package 2 Length | 120.0 cm |
| Package 2 Weight | 162.2 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

## Certifications & Standards

|                          |   |
|--------------------------|---|
| Reach Regulation         | <a href="#">REACH Declaration</a>   |
| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)  |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile      | No need of specific recycling operations  |