Product data sheet

Specifications

Brush-type cable entry gasket, PanelSeT SFN, Spacial SF, for electrical enclosure W1000mm , set of 2

NSYBCE10

Main

Range	Spacial
Product Or Component Type	Brush gasket
Accessory / Separate Part Category	Cable management accessory
Device Application	Multi-purpose
Range Compatibility	Spacial Spacial SF suitable enclosure
Device Composition	2 gasket
Quantity Per Set	Set of 1

Complementary

Mounting Support	Cable gland plate
Cable Entry	1 or 2 entries
Fixing Mode	Clipped
Height	40 mm
Width	Nominal: 1000 mm Real: 855 mm
Depth	25 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	8.0 cm
Package 1 Length	96.0 cm
Package 1 Weight	506.0 g
Unit Type Of Package 2	PAM
Number Of Units In Package 2	80
Package 2 Height	85.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	53.0 kg

Contractual warranty

Warranty   18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                        Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations